

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Currently amended) A method of enabling a first computer to communicate and exchange data with a second computer, the first computer and the second computer each having a browser and being in communication with each other via a network, said method comprising the steps of:

downloading, to the first computer, computer code comprising a first script operable in connection with the first computer for accessing a function of a first control loaded on the first computer for operation in conjunction with said first computer browser, the first script being further operable for receiving data input by a user of the first computer and for causing the first control to communicate with a server and to transmit the data input by the user to the server, wherein the first script and the first control are separate components;

enabling the user of the first computer to communicate with the second computer to present a request for synchronization with the user of the first computer, the second computer having a second script and a second control loaded thereon and operable in connection therewith for operation in conjunction

with said second computer browser, wherein the second script and the second control are separate components;

enabling the user of the second computer to agree to synchronize with the user of the first computer;

enabling the user of the first computer to synchronize with the user of the second computer;

controlling the Internet navigation of the second computer based upon Internet

navigation of the first computer, wherein the first script and the first

control and the second script and the second control are independent from

Web pages that are displayed on the first computer and the second

computer; and

causing the server to transmit the data received from the first script to the second computer for receipt by the second control.

2. (Original) A method as recited by claim 1, wherein the computer code further comprises the first control.

3. (Original) A method as recited by claim 1, wherein the first control comprises an ActiveX control.

4. (Original) A method as recited by claim 1, wherein the first script can display data output to the user of the first computer.

5. (Original) A method as recited by claim 1, wherein the first script can send data to and receive data from the first control.

6. (Original) A method as recited by claim 1, wherein the first script can call the function of the first control.

7. (Original) A method as recited by claim 6, wherein the first script can send data to and receive data from the function of the first control.

8. (Original) A method as recited by claim 1, wherein the first script is operable in connection with the first computer by opening a Web page containing the first script.

9. (Previously presented) A method as recited by claim 1, wherein the server has defined in a database thereon a synchronization group, and wherein the function of the first control comprises:

a login function to enable the user of the first computer to login to a
synchronization group;

a synchronization function to enable the user of the first computer to synchronize
with a member of the synchronization group; and

a navigation function to enable control of the Internet navigation of a computer of
the member of the synchronization group based upon the Internet
navigation of the first computer.

10. (Previously presented) A method as recited by claim 9, wherein the function of the first control further comprises an instant message function to enable a user of the first computer to send an instant message to a member of the synchronization group.

11. (Currently amended) A method of enabling a first computer to communicate and exchange data with a second computer, the first computer and the second computer each having a browser and being in communication with each other via a network, said method comprising the steps of:

downloading, to the first computer, first computer code comprising a first script operable in connection with the first computer for accessing a function of a first control loaded on the first computer for operation in conjunction with said first computer browser, the first script being further operable for receiving data input by a user of the first computer and for causing the first control to communicate with a server and to transmit the data input by the user to the server, wherein the first script and the first control are separate components;

downloading, to the second computer, second computer code comprising a second script operable in connection with the second computer for accessing a function of a second control loaded on the second computer for operation in conjunction with said second computer browser, the second script being further operable for receiving data input by a user of the second computer, wherein the second script and the second control are separate components;

enabling the user of the first computer to communicate with the second computer
to present a request for synchronization with the user of the first computer;
enabling the user of the second computer to agree to synchronize with the user of
the first computer;
enabling the user of the first computer to synchronize with the user of the second
computer;
controlling the Internet navigation of the second computer based upon Internet
navigation of the first computer, wherein the first script and the first
control and the second script and the second control are independent from
Web pages that are displayed on the first computer and the second
computer; and
causing the server to transmit the data received from the first script to the second
computer for receipt by the second control.

12. (Original) A method as recited by claim 11, wherein the first computer
code further comprises the first control.

13 (Original) A method as recited by claim 12, wherein the first control
comprises an ActiveX control.

14. (Original) A method as recited by claim 11, wherein the second computer
code further comprises the second control.

15. (Original) A method as recited by claim 14, wherein the second control comprises an ActiveX control.

16. (Original) A method as recited by claim 11, wherein the first script can display data output to the user of the first computer, and wherein the second script can display data output to the user of the second computer.

17. (Original) A method as recited by claim 11, wherein the first script can send data to and receive data from the first control, and wherein the second script can send data to and receive data from the second control.

18. (Original) A method as recited by claim 11, wherein the first script can call the function of the first control.

19. (Original) A method as recited by claim 18, wherein the first script can send data to and receive data from the function of the first control, and wherein the second script can send data to and receive data from the function of the second control.

20. (Original) A method as recited by claim 11, wherein the first script is operable in connection with the first computer by opening a Web page containing the first script, and wherein the second script is operable in connection with the second computer by opening a Web page containing the second script.

21. (Previously presented) A method as recited by claim 11, wherein the server has defined in a database thereon a synchronization group, and wherein the function of the first control comprises:

- a login function to enable the user of the first computer to login to a synchronization group;
 - a synchronization function to enable the user of the first computer to synchronize with a member of the synchronization group; and
 - a navigation function to enable control of the Internet navigation of a computer of the member of the synchronization group based upon the Internet navigation of the first computer;
- and wherein the function of the second control comprises:
- a login function to enable the user of the second computer to login to the synchronization group;
 - a synchronization function to enable the user of the second computer to synchronize with a member of the synchronization group; and
 - a navigation function to enable control of the Internet navigation of the computer of a member of the synchronization group based upon the Internet navigation of the second computer.

22. (Previously presented) A method as recited by claim 21, wherein the function of the first control further comprises an instant message function to enable a user of the first computer to send an instant message to a member of the synchronization group, and wherein

the function of the second control further comprises an instant message function to enable a user of the second computer to send an instant message to a member of the synchronization group.

23. (Currently amended) A method of enabling a first computer to synchronize with a second computer so that the second computer is caused to navigate the Internet based upon Internet navigation of the first computer, the first computer and the second computer each having a browser and being in communication with each other via a network, said method comprising the steps of:

enabling the user of the first computer to communicate with the second computer to present a request for synchronization with the user of the first computer, wherein the first computer includes a first control for operation in conjunction with said first computer browser, the first computer further including a first script, wherein the first script and the first control are separate components, and wherein the second computer includes a second control for operation in conjunction with said second computer browser, the second computer further including a second script, wherein the second script and the second control are separate components;

enabling the user of the second computer to agree to synchronize with the user of the first computer;

enabling the user of the first computer to synchronize with the user of the second computer; and

controlling the Internet navigation of the second computer based upon Internet navigation of the first computer, wherein the first script and the first control and the second script and the second control are independent from Web pages that are displayed on the first computer and the second computer.

24. (Original) A method as recited by claim 23, further comprising the step of enabling the user of the first computer to send an instant message to the user of the second computer.

25. (Previously presented) A method as recited by claim 23, further comprising the step of enabling the user of the first computer to login, said step comprising:
providing a script that accepts data input from the user of the first computer; and
providing an ActiveX control defining a login function that generates a login identification and that receives the data input to the script from the user of the first computer, the ActiveX control transmitting the data input and login identification to the server, the ActiveX control receiving login confirmation or rejection data from the server and passing the login confirmation or rejection data to the script.

26. (Original) A method as recited by claim 23, wherein said step of enabling the user of the first computer to synchronize comprises:

providing a script that accepts data input from the user of the first computer and
creates an XML feed of the data; and
providing an ActiveX control defining a synchronization function that generates a
synchronization identification and that receives the XML feed from the
script, the ActiveX control transmitting the XML feed and synchronization
identification to the server.

27. (Original) A method as recited by claim 26, wherein Internet navigation is
carried out by the user of the first computer in connection with an Internet browser, and wherein
said step of controlling the navigation comprises:

providing a browser helper object (BHO) control for receiving a navigation
message from the Internet browser when the user of the first computer
navigates from a first Internet Web page to a second Internet Web page;
providing a script for receiving the navigation message from the BHO control and
for creating an XML feed of the navigation message; and
providing an ActiveX control defining a synchronization function that generates a
synchronization identification and that receives the XML feed from the
script, the ActiveX control transmitting the XML feed and synchronization
identification to the server to control the Internet navigation of the second
computer based upon Internet navigation of the first computer.

28. (Original) A method as recited by claim 27, wherein the navigation
message comprises a url for the second Internet Web page.

29. (Original) A method as recited by claim 24, wherein said step of enabling the user of the first computer to send an instant message comprises:

providing a script that accepts data input from the user of the first computer and creates an XML feed of the data; and

providing an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from the script, the ActiveX control transmitting the XML feed and synchronization identification to the server.

30. (Previously presented) A method as recited by claim 23, further comprising the step of enabling the user of the second computer to login to a synchronization group.

31. (Original) A method as recited by claim 30, wherein said step of enabling the user of the second computer to login comprises:

providing a script that accepts data input from the user of the second computer; and

providing an ActiveX control defining a login function that generates a second login identification and that receives the data input to the script from the user of the second computer, the ActiveX control transmitting the data input and second login identification to the server, the ActiveX control receiving login confirmation or rejection data from the server and passing the login confirmation or rejection data to the script.

Claim 32 (Cancelled)

33. (Previously presented) A method as recited by claim 23, wherein said step of enabling the user of the second computer to synchronize comprises:

providing a script that accepts data input from the user of the second computer

and creates an XML feed of the data; and

providing an ActiveX control defining a synchronization function that generates a

synchronization identification and that receives the XML feed from the

script, the ActiveX control transmitting the XML feed and synchronization

identification to the server.

34. (Original) A method as recited by claim 23, further comprising the step of enabling the user of the second computer to send an instant message to the user of the first computer.

35. (Original) A method recited by claim 34, wherein said step of enabling the user of the second computer to send an instant message comprises:

providing a script that accepts data input from the user of the second computer

and creates an XML feed of the data; and

providing an ActiveX control defining a synchronization function that generates a

synchronization identification and that receives the XML feed from the

script, the ActiveX control transmitting the XML feed and synchronization

identification to the server.

36. (Currently amended) A system for enabling a first computer to communicate and exchange data with a second computer, the first computer and the second computer each having a browser and being in communication with each other via a network, the second computer having a second script and a second control loaded thereon and operable in connection therewith for operation in conjunction with said second computer browser, wherein the second script and the second control are separate components, said system comprising a processor provided on the server and operable in connection with software loaded on the server, said processor downloading, from the server to the first computer, first computer code comprising a first script operable in connection with the first computer for accessing a function of a first control loaded on the first computer for operation in conjunction with said first computer browser, wherein the first script and the first control are separate components, the first script being further operable for receiving data input by a user of the first computer and for causing the first control to communicate with the server and to communicate the data input by the user to the server, said processor being further operable in connection with the software to cause the server to transmit the data received from the first script to the second computer for receipt by the second control, said processor being further operable in connection with the software enable the user of the first computer to communicate with the second computer to present a request for synchronization with the user of the first computer, enable the user of the second computer to agree to synchronize with the user of the first computer, enable the user of the first computer to synchronize with the user of the second computer, and control the Internet navigation of the second computer based upon Internet navigation of the first computer, wherein

the first script and the first control and the second script and the second control are independent from Web pages that are displayed on the first computer and the second computer.

37. (Original) A system as recited by claim 36, wherein the server has defined in a database thereon a synchronization group, and wherein the function of the first control comprises:

a login function to enable the user of the first computer to login to the
synchronization group;

a synchronization function to enable the user of the first computer to synchronize
with a member of the synchronization group; and

a navigation function to enable control of the Internet navigation of a computer of
a member of the synchronization group based upon the Internet navigation
of the first computer.

38. (Original) A system as recited by claim 37, wherein the function of the first control further comprises an instant message function to enable the user of the first computer to send an instant message to a member of the synchronization group.

39. (Original) A system as recited by claim 36, wherein the first computer code further comprises the first control.

40. (Original) A system as recited by claim 39, wherein the second control is an ActiveX control.

41. (Original) A system as recited by claim 36, wherein the first script is operable in connection with the first computer by opening a Web page containing the first script.

42. (Original) A system as recited by claim 36, said processor being further operable in connection with the software for downloading, from the server to the second computer, second computer code comprising a second script operable in connection with the second computer for accessing a function of a second control loaded on the second computer, the second script being further operable for receiving data input by a user of the second computer.

43. (Original) A system as recited by claim 42, wherein the server has defined in a database thereon a synchronization group, and wherein the function of the second control comprises:

a login function to enable the user of the second computer to login to the
synchronization group;

a synchronization function to enable the user of the second computer to
synchronize with a member of the synchronization group; and

a navigation function to enable control of the Internet navigation of a computer of
a member of the synchronization group based upon the Internet navigation
of the second computer.

44. (Original) A system as recited by claim 43, wherein the function of the second control further comprises an instant message function to enable the user of the second computer to send an instant message to a member of the synchronization group.

45. (Original) A system as recited by claim 42, wherein the second computer code further comprises the second control.

46. (Original) A system as recited by claim 45, wherein the second control is an ActiveX control.

47. (Original) A system as recited by claim 42, wherein the second script is operable in connection with the second computer by opening a Web page containing the second script.

48. (Original) A system as recited by claim 42, wherein the first script is operable in connection with the first computer by opening a Web page containing the first script, and wherein the second script is operable in connection with the second computer by opening a Web page containing the second script.

49. (Currently amended) A system for enabling a first computer to synchronize with a second computer so that the second computer is caused to navigate the Internet based upon Internet navigation of the first computer, the first computer and the second computer each having a browser and being in communication with each other via a network, said system comprising:

a processor being operable in connection with software to enable the user of the first computer to communicate with the second computer to present a request for synchronization with the user of the first computer, wherein the

first computer includes a first control for operation in conjunction with said first computer browser, the first computer further including a first script, wherein the first script and the first control are separate components, and wherein the second computer includes a second control for operation in conjunction with said second computer browser, the second computer further including a second script, wherein the second script and the second control are separate components;

said processor being further operable in connection with software to enable the user of the second computer to agree to synchronize with the user of the first computer;

said processor being further operable in connection with software to provide synchronization functionality to enable the user of the first computer to synchronize with the user of the second computer; and

said processor being further operable in connection with software to provide navigation functionality to control the Internet navigation of the second computer based upon Internet navigation of the first computer, wherein the first script and the first control and the second script and the second control are independent from Web pages that are displayed on the first computer and the second computer.

50. (Original) A system as recited by claim 49, said processor being further operable in connection with software to enable the user of the first computer to send an instant message to a member of the synchronization group.

51. (Original) A system as recited by claim 49, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the first computer; and
provide an ActiveX control defining a login function that generates a login identification and that receives the data input from the user of the first computer, said ActiveX control transmitting the data and login identification to the server, said ActiveX control receiving login confirmation or rejection data from the server and passing the login confirmation or rejection data to said script.

52. (Original) A system as recited by claim 49, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the first computer and creates an XML feed of the data; and
provide an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from said script, said ActiveX control transmitting the XML feed and synchronization identification to the server.

53. (Original) A system as recited by claim 49, wherein Internet navigation is carried out by the user of the first computer in connection with an Internet browser, said processor being further operable in connection with software to:

provide a browser helper object (BHO) control for receiving a navigation message from the Internet browser when the user of the first computer navigates from a first Internet Web page to a second Internet Web page;
provide a script for receiving the navigation message from the BHO control and for creating an XML feed of the navigation message; and
provide an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from said script, said ActiveX control transmitting the XML feed and synchronization identification to the server to control the Internet navigation of the second computer based upon Internet navigation of the first computer.

54. (Original) A system as recited by claim 53, wherein the navigation message comprises a url for the second Internet Web page.

55. (Original) A system as recited by claim 49, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the first computer and creates an XML feed of the data; and

provide an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from said script, said ActiveX control transmitting the XML feed and synchronization identification to the server.

56. (Original) A system as recited by claim 49, said processor being further operable in connection with software to enable the user of the second computer to login to the synchronization group.

57. (Original) A system as recited by claim 49, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the second computer; and
provide an ActiveX control defining a login function that generates a login identification and that receives the data input from the user of the second computer, said ActiveX control communicating the data and login identification to the server, said ActiveX control receiving login confirmation or rejection data from the server and passing the login confirmation or rejection data to said script.

58. (Original) A system as recited by claim 49, said processor being further operable in connection with software to enable the user of the second computer to synchronize with a member of the synchronization group.

59. (Original) A system as recited by claim 58, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the second computer and creates an XML feed of the data; and

provide an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from said script, said ActiveX control transmitting the XML feed and synchronization identification to the server.

60. (Original) A system as recited by claim 49, said processor being further operable in connection with software to enable the user of the second computer to send an instant message to a member of the synchronization group.

61. (Original) A system recited by claim 60, said processor being further operable in connection with software to:

provide a script that accepts data input from the user of the second computer and creates an XML feed of the data; and

provide an ActiveX control defining a synchronization function that generates a synchronization identification and that receives the XML feed from said script, said ActiveX control transmitting the XML feed and synchronization identification to the server.

62. (Cancelled)

63. (Currently amended) A method of synchronously following the network navigation of a first computer by at least a second computer, the first computer and the second computer each having a browser and being in communication with each other via a network, said method comprising the steps of:

downloading, to the first computer, computer code comprising a first script,
wherein the script is written in a Web based scripting language, operable in connection with the first computer for accessing a function of a first control for operation in conjunction with said first computer browser,
wherein the control is written in a programming language and is compiled, the control being loaded on the first computer, the first script being further operable for receiving data input by a user of the first computer and for causing the first control to communicate with a server and to transmit the data input by the user to the server, wherein the first script and the first control are separate components;
enabling the user of the first computer to communicate with the second computer to present a request for synchronization with the user of the first computer, the second computer having a second script and a second control loaded thereon and operable in connection therewith for operation in conjunction with said first computer browser, wherein the second script and the second control are separate components;
enabling the user of the second computer to agree to synchronize with the user of the first computer;

enabling the user of the first computer to synchronize with the user of the second computer;

controlling the Internet navigation of the second computer based upon Internet navigation of the first computer, wherein the first script and the first control and the second script and the second control are independent from Web pages that are displayed on the first computer and the second computer; and

causing the server to transmit the data received from the first script to the second computer for receipt by the second control.

64. (Previously presented) A method as recited by claim 63, wherein the computer code further comprises the first control.

65. (Previously presented) A method as recited by claim 63, wherein the first control comprises an ActiveX control.

66. (Previously presented) A method as recited by claim 63, wherein the first script can display data output to the user of the first computer.

67. (Previously presented) A method as recited by claim 63, wherein the first script can send data to and receive data from the first control.

68. (Previously presented) A method as recited by claim 63, wherein the first script can call the function of the first control.

69. (Previously presented) A method as recited by claim 68, wherein the first script can send data to and receive data from the function of the first control.

70. (Previously presented) A method as recited by claim 63, wherein the first script is operable in connection with the first computer by opening a Web page containing the first script.

71. (Previously presented) A method as recited by claim 63, wherein the server has defined in a database thereon a synchronization group, and wherein the function of the first control comprises:

- a login function to enable the user of the first computer to login to a synchronization group;
- a synchronization function to enable the user of the first computer to synchronize with a member of the synchronization group; and
- a navigation function to enable control of the Internet navigation of a computer of the member of the synchronization group based upon the Internet navigation of the first computer.

72. (Previously presented) A method as recited by claim 71, wherein the function of the first control further comprises an instant message function to enable a user of the first computer to send an instant message to a member of the synchronization group.

73. (Currently amended) A method of synchronously following the network navigation of a first computer by a second computer, the first computer and the second computer each having a browser and being in communication with each other via a server in a network, said method comprising the steps of:

downloading, to the first computer, computer code comprising a first script,

wherein the script is written in a Web based scripting language, operable

in connection with the first computer for accessing a function of a first

control for operation in conjunction with said first computer browser,

wherein the control is written in a programming language and is compiled,

loaded on the first computer, the first script being further operable for

receiving data input by a user of the first computer and for causing the first

control to communicate with the server and to transmit the data input by

the user to the server, wherein the first script and the first control are

separate components;

defining in a database in the server a synchronization group, and wherein the

function of the first control comprises;

a login function to enable the user of the first computer to login to

the synchronization group;

a synchronization function to enable the user of the first computer
to synchronize with a member of the synchronization
group;

a navigation function to enable control of the Internet navigation of
a computer of the member of the synchronization group
based upon the Internet navigation of the first computer;

enabling the user of the first computer to communicate with the second computer
to present a request for synchronization with the user of the first computer,
the second computer having a second script and a second control loaded
thereon and operable in connection therewith for operation in conjunction
with said first computer browser, wherein the second script and the second
control are separate components;

enabling the user of the second computer to agree to synchronize with the user of
the first computer;

enabling the user of the first computer to synchronize with the user of the second
computer;

controlling the Internet navigation of the second computer based upon Internet
navigation of the first computer, wherein the first script and the first
control and the second script and the second control are independent from
Web pages that are displayed on the first computer and the second
computer; and

causing the server to transmit the data received from the first script to the second computer for receipt by the second control.

74. (Currently amended) A method of enabling a first computer to communicate and exchange data with at least a second computer, the first computer and the second computer each having a browser and being in communication with each other via a network, said method comprising the steps of:

downloading, to the first computer, computer code comprising a first script operable in connection with the first computer for accessing a function of a first control loaded on the first computer for operation in conjunction with said first computer browser, the first script being further operable for receiving data input by a user of the first computer and for causing the first control to communicate with a server and to transmit the data input by the user to the server, wherein the first script and the first control are separate components;

enabling the user of the first computer to communicate with the second computer to present a request to couple with the user of the first computer, the second computer having a second script and a second control loaded thereon and operable in connection therewith for operation in conjunction with said second computer browser, wherein the second script and the second control are separate components;

enabling the user of the second computer to agree to couple with the user of the
first computer;

enabling the user of the first computer to couple with the user of the second
computer; ~~and~~

controlling Internet navigation of the second computer based upon Internet
navigation of the first computer, wherein the first script and the first
control and the second script and the second control are independent from
Web pages that are displayed on the first computer and the second
computer; and

causing the server to transmit the data received from the first script to the second
computer for receipt by the second control.

75. (Previously presented) A method as recited by claim 74, wherein the
computer code further comprises the first control.

76. (Previously presented) A method as recited by claim 74, wherein the first
control comprises an ActiveX control.

77. (Previously presented) A method as recited by claim 74, wherein the first
script can display data output to the user of the first computer.

78. (Previously presented) A method as recited by claim 74, wherein the first
script can send data to and receive data from the first control.

79. (Previously presented) A method as recited by claim 74, wherein the first script can call the function of the first control.

80. (Previously presented) A method as recited by claim 79, wherein the first script can send data to and receive data from the function of the first control.

81. (Previously presented) A method as recited by claim 74, wherein the first script is operable in connection with the first computer by opening a Web page containing the first script.

82. (Previously presented) A method as recited by claim 74, wherein the server has defined in a database thereon a coupling group, and wherein the function of the first control comprises:

- a login function to enable the user of the first computer to login to a coupling group; and
- a coupling function to enable the user of the first computer to couple with a member of the coupling group.

83. (Previously presented) A method as recited by claim 82, wherein the function of the first control further comprises a navigation function to enable control of the Internet navigation of a computer of the member of the coupling group based upon the Internet navigation of the first computer.

84. (Previously presented) A method as recited by claim 82, wherein the function of the first control further comprises an instant message function to enable a user of the first computer to send an instant message to a member of the coupling group.